

Payment Policy: Physician's Office Lab Testing

Reference Number: CC.PP.055 Product Types: ALL Effective Date: 11/01/2017 Last Review Date: 04/24/2019

Coding Implications Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Policy Overview

To ensure higher quality laboratory tests are performed in the correct setting, the health plan will limit the performance of in-office laboratory testing to the CPT® and HCPCS codes listed in the Short Turnaround Time (STAT) laboratory (lab) code list included in this policy.

The purpose of this policy is to define payment criteria for in-office laboratory procedures to be used in making payment decisions and administering benefits. Furthermore, to encourage the specialization of independent labs to ensure higher quality laboratory tests are performed in the appropriate setting.

Application

Physicians and other qualified health professionals

Policy Description

During the course of a physician or other qualified health professional's face-to-face encounter with a patient, the provider may determine that diagnostic lab testing is necessary to establish a diagnosis and/or to select the best treatment option to manage the patient's care. These are tests that are needed immediately in order to manage medical emergencies or urgent conditions. To this end, specific clinical laboratory tests have been designated as appropriate to be performed in the office setting.

Reimbursement

Reimbursement for in-office laboratory procedures is limited to those codes listed in the STAT laboratory procedure code list (see the *Coding and Modifier Information*) section below. Laboratory procedures not included on the STAT lab list may not be performed in the office and should be referred to an independent, contracted lab provider.

Utilization

The health plan's automated claims adjudication system will deny in-office (location 11) laboratory procedures that are not included on the STAT lab list defined below.

Documentation Requirements

Not Applicable.

Coding and Modifier Information

This payment policy references Current Procedural Terminology (CPT[®]). CPT[®] is a registered trademark of the American Medical Association. All CPT[®] codes and descriptions are copyrighted 2018, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from current manuals and those included herein are not intended to be all-



inclusive and are included for informational purposes only. Codes referenced in this payment policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

CPT- Descriptor	
HCPCS	
Code	
U C	, presumptive, any number of drug classes, any number of devices or
	(eg, immunoassay); capable of being read by direct optical observation
	psticks, cups, cards, cartridges) includes sample validation when
	per date of service
	, presumptive, any number of drug classes, any number of devices or (eg, immunoassay); read by instrument assisted direct optical
-	(eg, dipsticks, cups, cards, cartridges), includes sample validation
	rmed, per date of service
1	, presumptive, any number of drug classes, any number of devices or
	by instrument chemistry analyzers (eg, utilizing immunoassay [eg,
· · · · · · · · · · · · · · · · · · ·	A, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC),
	bectrometry either with or without chromatography, (eg, DART, DESI,
	C-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes
	dation when performed, per date of service
80324 Amphetami	
80325 Amphetami	· · · · · · · · · · · · · · · · · · ·
	nes; 5 or more
	eroids; 1 or 2
	eroids; 3 or more
	non-opioid; 1 or 2
U	non-opioid; 3-5
	non-opioid; 6 or more
	sants, serotonergic class; 1 or 2
	sants, serotonergic class; 3-5
· · · · · ·	sants, serotonergic class; 6 or more
· · · · · ·	sants, tricyclic and other cyclicals; 1 or 2 sants, tricyclic and other cyclicals; 3-5
· · · · · · · · · · · · · · · · · · ·	ants, tricyclic and other cyclicals; 6 or more
1	sants, not otherwise specified
	ics, not otherwise specified; 1-3
	ics, not otherwise specified; 4-6
1 1	ics, not otherwise specified; 7 or more
	tics, not otherwise specified; 1-3
1 2	tics, not otherwise specified; 4-6
1 5	tics, not otherwise specified; 7 or more
80345 Barbiturate	, 1 ,
	pines; 1-12



CPT-	Descriptor
HCPCS	
Code 80347	Danzadiazaninas: 12 ar mara
	Benzodiazepines; 13 or more Buprenorphine
80348	
80349	Cannabinoids, natural
80350	Cannabinoids, synthetic; 1-3
80351	Cannabinoids, synthetic; 4-6
80352	Cannabinoids, synthetic; 7 or more
80353	Cocaine
80354	Fentanyl
80355	Gabapentin, non-blood
80356	Heroin metabolite
80357	Ketamine and norketamine
80358	Methadone
80359	Methylenedioxyamphetamines (MDA, MDEA, MDMA
80360	Methylphenidate
80361	Opiates, 1 or more
80362	Opioids and opiate analogs; 1 or 2
80363	Opioids and Opiate analogs; 3 or 4
80364	Opioids and Opiate analogs; 5 or more
80365	Oxycodone
80366	Pregabalin
80367	Propoxyphene
80368	Sedative hypnotics (non-benzodiazepines
80369	Skeletal muscle relaxants; 1 or 2
80370	Skeletal muscle relaxants; 3 or more
80371	Stimulants, synthetic
80372	Tapentadol
80373	Tramadol
80374	Stereoisomer (enantiomer) analysis, single drug class
80375	Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3
80376	Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 4-6
80377	Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 7 or more
83992	Phencyclidine (PCP)
81000	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,
01000	ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any
	number of these constituents; non-automated, with microscopy
81001	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,
	ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any
	number of these constituents; automated, with microscopy



CPT-	Descriptor
HCPCS	
Code	Uninglyzig by din stick on tablet neggent for bilimbin, alwages, how ealship
81002	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,
	ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any
81003	number of these constituents; non-automated, without microscopy Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,
81005	ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any
	number of these constituents; automated, without microscopy
81005	Urinalysis; qualitative or semiquantitative, except immunoassays
81015	Urinalysis; microscopic only
81025	Urine pregnancy test, by visual color comparison methods
82043	Albumin; urine, microalbumin, quantitative
82043	82044Albumin; urine, microalbumin, semiquantitative (eg, reagent strip assay)
82247	Bilirubin; total
82270	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive
02270	collected specimens with single determination, for colorectal neoplasm screening
	(ie, patient was provided 3 cards or single triple card for consecutive collection)
82271	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources
82272	Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, 1-3
0	simultaneous determinations, performed for other than colorectal neoplasm
	screening
82465	Cholesterol, serum or whole blood, total
82565	Creatinine; blood
82731	Fetal fibronectin, cervicovaginal secretions, semi-quantitative
82947	Glucose; quantitative, blood (except reagent strip)
82948	Glucose; blood, reagent strip
82950	Glucose; post glucose dose (includes glucose)
82951	Glucose; tolerance test (GTT), 3 specimens (includes glucose)
82952	Glucose; tolerance test, each additional beyond 3 specimens (List separately in
	addition to code for primary procedure)
82962	Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically
	for home use
83036	Hemoglobin; glycosylated (A1C)
83037	Hemoglobin; glycosylated (A1C) by device cleared by FDA for home use
83655	Lead
83986	pH; body fluid, not otherwise specified
84132	Potassium; serum, plasma or whole blood
84703	Gonadotropin, chorionic (hCG); qualitative
85013	Blood count; spun microhematocrit
85014	Blood count; hematocrit (Hct)
85018	Blood count; hemoglobin (Hgb)
85025	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet
	count) and automated differential WBC count



CPT-	Descriptor
HCPCS	
Code 85027	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet
83027	count
85049	Blood count; platelet, automated
85610	Prothrombin time
85651	Sedimentation rate, erythrocyte; non-automated
86308	Heterophile antibodies; screening
86580	Skin test; tuberculosis, intradermal
86756	Antibody; respiratory syncytial virus
87070	Culture, bacterial; any other source except urine, blood or stool, aerobic, with
0/0/0	isolation and presumptive identification of isolates
87172	87172Pinworm exam (eg, cellophane tape prep
87205	87205Smear, primary source with interpretation; Gram or Giemsa stain for
07203	bacteria, fungi, or cell types
87210	Smear, primary source with interpretation; wet mount for infectious agents (e.g.,
07210	saline, India ink, KOH preps)
87220	Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or
0,220	ectoparasite ova or mites (e.g., scabies)
87270	Infectious angent detection, by immunofluorescent technique, chlamydia
	trachomatis
87490	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia
	trachomatis, direct probe technique
87491	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia
	trachomatis, amplified probe technique
87492	Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia
	trachomatis, quantification
87802	Infectious agent antigen detection by immunoassay with direct optical
	observation; Streptococcus, group B
87803	Infectious agent antigen detection by immunoassay with direct optical
	observation; Clostridium difficile toxin A
87804	Infectious agent antigen detection by immunoassay with direct optical
	observation; Influenza
87807	Infectious agent antigen detection by immunoassay with direct optical
0	observation; respiratory syncytial virus
87808	Infectious agent antigen detection by immunoassay with direct optical
07000	observation; Trichomonas vaginalis
87880	Infectious agent antigen detection by immunoassay with direct optical
97005	observation; Streptococcus, group A
87905	Infectious agent enzymatic activity other than virus (eg, sialidase activity in
C0490	vaginal fluid)
G0480	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily
	individual drugs and distinguish between structural isomers (but not necessarily starspisomers) including, but not limited to GC/MS (any type single or tandom)
	stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA)
	and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA,





CPT- HCPCS	Descriptor
Code	
	EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed
G0481	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed
G0482	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 15-21 drug class(es), including metabolite(s) if performed
G0483	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 22 or more drug class(es), including metabolite(s) if performed
G0659	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily



CPT- HCPCS	Descriptor
Code	
	stereoisomers), including but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes
Q0111	Wet mounts, including preparations of vaginal, cervical or skin specimens
Q0112	All potassium hydroxide (koh) preparations

Modifier	Descriptor
NA	Not Applicable

ICD-10 Codes	Descriptor
NA	Not Applicable

Definitions

Short Turnaround Time Lab Procedure

Laboratory tests and services that are needed immediately in order to manage urgent or emergent medical situations.

Independent Laboratory

A laboratory that is independent of an attending or consulting physician's office and of hospital

Contracted Laboratory Provider

A provider that has entered into an agreement with the health plan to provide laboratory services at a reduced rate to the insurer's or administrator's clients.

Additional Information

Not Applicable

Related Documents or Resources

Not Applicable

References

- 1. Current Procedural Terminology (CPT)®, 2018
- 2. HCPCS Level II, 2018

Revision History	
08/12/2017	Initial Policy Draft
10/4/2017	Added the following allowable codes : 87490,87491,87492,84132,82565
04/24/2019	Conducted review and updated policy



Important Reminder

For the purposes of this payment policy, "Health Plan" means a health plan that has adopted this payment policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any other of such health plan's affiliates, as applicable.

The purpose of this payment policy is to provide a guide to payment, which is a component of the guidelines used to assist in making coverage and payment determinations and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage and payment determinations and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable plan-level administrative policies and procedures.

This payment policy is effective as of the date determined by Health Plan. The date of posting may not be the effective date of this payment policy. This payment policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this payment policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. Health Plan retains the right to change, amend or withdraw this payment policy, and additional payment policies may be developed and adopted as needed, at any time.

This payment policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This payment policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this policy are independent contractors who exercise independent judgment and over whom Health Plan has no control or right of control. Providers are not agents or employees of Health Plan.

This payment policy is the property of Centene Corporation. Unauthorized copying, use, and distribution of this payment policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note: For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this payment policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this payment policy.



Note: For Medicare members, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs and LCDs should be reviewed <u>prior to</u> applying the criteria set forth in this payment policy. Refer to the CMS website at <u>http://www.cms.gov</u> for additional information.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation.