



## Chronic Condition Coding Awareness: Behavioral & Conduct Disorder

### Conduct Disorder

Conduct disorder is a repetitive and persistent pattern of behavior in children and adolescents in which the rights of others or basic social rules are violated<sup>1</sup>. It is not uncommon for a child or teen to experience behavioral problems, however, the behavior is considered to be a conduct disorder when it is long-lasting and when it goes against accepted norms of behavior and disrupts the child's or family's everyday life<sup>2</sup>.

### Symptoms of Conduct Disorder

Symptoms of conduct disorder vary depending on the age of the child and whether the disorder is mild, moderate, or severe. In general, the symptoms fall into four categories: (1) Aggressive, (2) Non-Aggressive or Destructive, (3) Deceitfulness, and (4) Violation of rules<sup>2</sup>.

### Treatment of Conduct Disorder

Treatment for conduct disorder is based on many factors, including the child's age, the severity of the symptoms, as well as the child's ability to participate in and tolerate specific therapies<sup>2</sup>. Treatment usually consists of Psychotherapy, medication, and/or family support group or organization. Appropriate treatment is individualized and should be done by a mental health professional, preferably one who is trained in children's mental health<sup>1</sup>.

### Behavioral & Conduct Disorder Coding Guidance

TIPS:		ICD-10 Mapping & Education	
➤ ICD-10-CM	F91.0 – F91.9 (Conduct Disorders) <sup>3</sup>		
	F91.0	Conduct disorder confined to family context	
	F91.1	Conduct disorder, childhood-onset type	
	F91.2	Conduct disorder, adolescent-onset type	
	F91.3	Oppositional defiant disorder	
	F91.8	Other conduct disorder	
	F91.9	Conduct disorder, unspecified,	
➤ Do NOT code...	...the following disorders if they exist: <ul style="list-style-type: none"><li>○ Antisocial behavior (Z72.81-)</li><li>○ Antisocial personality disorder (F60.2)</li></ul> <p>Per ICD-10-CM “Excludes 1” note.</p>		
➤ DO code...	...the following disorders if they exist at the same time as Conduct Disorder: <ul style="list-style-type: none"><li>○ ADHD (F90.-)</li><li>○ Mood [affective] disorders (F30-F39)</li><li>○ Pervasive developmental disorders (F84.-)</li><li>○ Schizophrenia (F20.-)</li></ul> <p>Per ICD-10-CM “Excludes 2” note.</p>		



<p>➤ <b>Documentation &amp; Coding Tips</b></p>	<p>The following language supports [any] condition and must be documented by the provider. It cannot be inferred by coders.</p> <p>In the documentation, mention...</p> <ul style="list-style-type: none"> <li>○ if the patient is receiving therapy.</li> <li>○ getting a refill on medication.</li> <li>○ the status of the condition.</li> </ul>
<p>➤ <b>HEDIS tip</b></p>	<p>Patients who were hospitalized either in the emergency room or inpatient for treatment of conduct disorders should have a follow-up visit with a mental health practitioner within 7 days and then at 30 days post discharge<sup>4</sup>.</p>

1. Mental Health America: Conduct Disorder (<http://www.mentalhealthamerica.net/conditions/conduct-disorder>)
2. WebMD: Mental health and Conduct Disorder (<http://www.webmd.com/mental-health/mental-health-conduct-disorder#1>); Reviewed May, 2018
3. 2019 ICD-10-CM Expert for Physicians: The Complete Official Code Set, Optum360. 2018 Optum360, LLC
4. 2019 HEDIS Technical Specifications

*Issued Date: 06/01/2017*  
*Reviewed Date: 12/01/2018*

➤ **Secure Portal Registration:** If you haven't already do so, please go to [www.HomeStateHealth.com](http://www.HomeStateHealth.com) to register for our Secure Portal. Functions on the portal include: Verification of eligibility, submission of claims, entering authorizations, viewing patient care gaps, etc. Use of the portal is FREE for all services!

➤ **Electronic Funds Transfer / Electronic Remittance Advice**

- Home State Health Plan partners with PaySpan Health for EFT/ERA services.
- Please register with PaySpan Health at [www.payspanhealth.com](http://www.payspanhealth.com)

**Questions?**

**Contact Provider Relations at 1-855-694-4663.**